

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L10	3921	455/197.1,197.2,197.3,194.2,195.1,245.1,245.2,251.1,251.2,254,255,256,259,262,323,333,198.1,118.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 14:25
L11	1674	323/315,316.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 14:26
L12	3587	327/538,539,540,541,542,543.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 14:27
L13	1182	341/120,121.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 14:30
L14	6541	455/423,424,425,63.1,67.11,67.13,67.16,68,226.1,334,340.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 14:31
L15	1812	375/224,225,26,227,228.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 14:31
L16	1986	375/224,225,226,227,228.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 14:32
L17	47506	(reference near3 voltage) same (capacitor or capacitors)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 15:17
L18	55	"state machine" same (reference near3 voltage) same (capacitor or capacitors)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 14:33
L19	15304	(reference near3 voltage) same compara\$5 same (capacitor or capacitors)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 14:39

L20	29	10 and 19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 14:41
L21	25	11 and 19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 14:43
L22	108	12 and 19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 14:57
L23	104	13 and 19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 14:58
L24	478	calibrat\$5 same (reference near3 voltage) same (capacitor or capacitors) same constant	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 15:19
L25	20	13 and 24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 15:18
L26	104	calibrat\$5 same (reference near3 voltage) same compara\$5 same (capacitor or capacitors) same constant	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 15:51
L27	35	14 and 19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 15:49
L28	288	calibrat\$5 with (capacitor or capacitors) with constant	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 15:51

L21	25	11 and 19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 14:43
L22	108	12 and 19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 14:57
L23	104	13 and 19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 14:58
L24	478	calibrat\$5 same (reference near3 voltage) same (capacitor or capacitors) same constant	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 15:19
L25	20	13 and 24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 15:18
L26	104	calibrat\$5 same (reference near3 voltage) same compara\$5 same (capacitor or capacitors) same constant	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 15:51
L27	35	14 and 19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 15:49
L28	288	calibrat\$5 with (capacitor or capacitors) with constant	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 16:38
L29	6	(calibrat\$5 and "reference voltage generator" and adjust\$5 and capacitor).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 16:40